

Revision Date: 2016-01-25
Reason for Revision: Removed DSD/DPD Regulation Info

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: HI 3896-P Phosphorus Reagent **Additional Product Codes** HI 3896, HI 3896-025
Application: Determination of Phosphorus in Soil (Extract) Samples
Company Information (USA): Hanna Instruments, Inc.
 584 Park East Dr, Woonsocket, Rhode Island, USA 02895
Technical Service Contact Information: 1-800-426-6287 (8:30AM - 5:00PM ET)
 +1-401-766-4260 (8:30AM - 5:00PM ET)
USA Emergency Contact Information: 1-800-424-9300 (Chemtrec 24Hr. Emergency)
International Emergency Contact Information: +1-703-527-3887 (Chemtrec 24Hr. Emergency)
E-mail Address: tech@hannainst.com

SECTION 2: HAZARD IDENTIFICATION

Causes burns.

According to Regulation (EC) No. 1272/2008:

Classification: Skin Corrosion (Category 1B)

Signal Word: **Danger**

Pictograms:



Hazard Statements: H314: Causes severe skin burns and eye damage.

Precaution Statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 3: COMPOSITION AND COMPONENT INFORMATION

Component:	EC No:	CAS No:	Hazard Class:	Phrases:	Concentration:
Potassium disulfate	232-216-8	7790-62-7	Skin Corr. 1B	H314	> 75%

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air. Call a physician if breathing becomes difficult.
After Skin Contact: Wash affected area with plenty of water. Remove contaminated clothing.
After Eye Contact: Rinse out with plenty of water for at least 15 minutes. If pain persists, summon medical advice.
After Swallowing: Drink plenty of water, induce vomiting. Obtain medical attention if feeling unwell.
General Information: Remove contaminated, soaked clothing immediately and dispose of safely.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Non-combustible.

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Prevent fire-fighting water from entering surface water or groundwater.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid generation of dusts. Do not inhale dusts.

Environmental Precautions:

Do not discharge into the drains/surface waters/groundwater.

Additional Notes:

Take up dry. Clean up affected area and dispose according to local regulation.

SECTION 7: HANDLING AND STORAGE

Handling:

No further requirements.

Storage:

Store at room temperature (+15 to +25 °C recommended). Protect from light and moisture.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering:

Maintain general industrial hygiene practice.

Personal Protective Equipment:

As appropriate to quantity handled.

Respiratory Protection:

Required when dusts are generated.

Protective Gloves:

Rubber or plastic

Eye Protection:

Goggles or face mask

Industrial Hygiene:

Change contaminated clothing. Wash hands after working with substance.

SECTION 9: PHYSICAL/CHEMICAL PROPERTIES

Appearance:	White powder	Odor:	Odorless	Density at 20°C:	2.5 g/cm ³
Melting Point:	ND	Boiling Point:	NA	Solubility:	Soluble
pH at 20°C:	~ 1.5 at 20 g/L in water	Explosion Limit:	NA	Flash Point:	NA
Thermal Decomp.:	NA				

SECTION 10: STABILITY AND REACTIVITY

Conditions to be Avoided:

ND

Hazardous Polymerization:

Will not occur.

Further Information:

Stable in the recommended storage conditions.

Hazardous Decomposition Products:

In the event of fire: See section 5.

Substances to be Avoided:

ND

SECTION 11: TOXICOLOGICAL INFORMATION

Product Toxicity

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

Inhalation: Causes burns.

Skin Contact: Causes burns.

Eye Contact: Causes burns.

Ingestion: Possible symptoms: nausea, vomiting, gastrointestinal and mouth pain, diarrhea.

Further Data: No toxic effects are to be expected when the product is handled with the usual care when dealing with chemicals.

Component Toxicity

Acute Toxicity:

Not Available

Additional Data:

Not Available

Chronic Toxicity:

Not Available

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the ecological effect of this product is not available.

Further Data: No ecological problems are to be expected when the product is handled and used with due care and attention.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION

	Land (ADR/RID):	Sea (IMDG):	Air (ICAO/IATA):
UN No.:	3260	3260	3260
Proper Shipping Name:	Corrosive solid, acidic, inorganic, n.o.s. (potassium disulfate)	Corrosive solid, acidic, inorganic, n.o.s. (potassium disulfate)	Corrosive solid, acidic, inorganic, n.o.s. (potassium disulfate)
Class (Sub Risk):	8	8	8
Packing Group:	II	II	II
Marine Pollutant:		No	

SECTION 15: REGULATORY INFORMATION

Complies with European Regulations (EC) No. 1907/2006 and No. 1272/2008.

Complies with OSHA Regulation 29 CFR 1910.1200.

Complies with Canadian Regulation SOR/88-66.

All chemical substances in this product are listed on the TSCA Inventory.

Safety Data SheetAccording to Regulation (EC) No. 1907/2006
OSHA Regulation 29 CFR 1910.1200
Canadian Regulation SOR/88-66**SECTION 16: OTHER INFORMATION*****Text of phrases under Section 3***

H314: Causes severe skin burns and eye damage.

Revision Information**Revision Date:** 2016-01-25**Supersedes edition of:** 2013-01-24**Reason for revision:** Removed DSD/DPD Regulation Info***Legend***

NA: Not Applicable

ND: Not Determined

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.