according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.16.2016

Tap Magic Aluminum

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Material Name: Tap Magic Aluminum Trade Name: Tap Magic Aluminum Product code: 20004A, 20016A, 20128A, 20640A, 23840A, 27040A Additional information: After use of this product, clean and lubricate metal surfaces to avoid staining and/or corrosion.

1.2 Relevant identified uses of the substance or mixture and uses advised against: Machining, Cutting, Tapping, and Metal Processing

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:

The Steco Corporation 2330 Cantrell Road Little Rock, AR 72202 1-501-375-5644 steco@tapmagic.com

Emergency telephone number:

ChemTel Inc

North America: 1-800-255-3924 International: 1-813-248-0585

2 Hazards identification

2.1 Classification of the substance or mixture:

In compliance with EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments. Flammable liquids, category 4. Acute aquatic hazard, category 1. Chronic aquatic hazard, category 2.

Aspiration hazard, category 1.

Hazard-determining components of labeling:

Petroleum Distillate Aliphatic Organic Ester

2.2 Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.16.2016

Tap Magic Aluminum

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center or doctor/physician.

P331 Do not induce vomiting.

P370+P378 In case of fire: Use agents recommended in section 5 for extinction.

P391 Collect spillage.

P403+P235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents and container as instructed in Section 13.

2.3 Other hazards: None known

Information concerning particular hazards for humans and environment:

The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to EC regulation No. 1272/2008, 29CFR1910/1200 and GHS Rev. 3 and amendments, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

3 Composition/information on ingredients

3.1 Chemical characterization: Mixture.

3.2 Description: None

3.3 Hazardous components (percentages by weight)

Identification	Name	Classification	Wt. %
CAS number: 111-82-0	Aliphatic Organic Ester	Aquatic Acute 1; H400 Aquatic Chronic 2; H411	30-45
CAS number: 64742-47-8	Petroleum Distillate	Asp. Tox. 1; H304	45-65

3.4 Additional information: None.

4 First aid measures

4.1 Description of first aid measures

General information: None.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. Maintain an unobstructed airway.

After skin contact:

Rinse affected area with soap and water. If symptoms develop or persist, seek medical attention.

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.16.2016

Tap Magic Aluminum

Get medical advice/attention.

After swallowing:

Rinse mouth thoroughly. Seek medical attention if irritation, discomfort, or vomiting persists.

4.2 Most important symptoms and effects, both acute and delayed:

None

4.3 Indication of any immediate medical attention and special treatment needed:

No additional information.

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Use dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing media:

Do not use water as an extinguisher.

5.2 Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors. Vapors can flow to distant ignition sources and flashback. Liquid is volatile and may generate an explosive atmosphere.

5.3 Advice for firefighters

Protective equipment:

Wear protective eye wear, gloves and clothing. Refer to Section 8.

5.4 Additional information:

Avoid inhaling gases, fumes, dust, mist, vapor and aerosols. Avoid contact with skin, eyes and clothing.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure air handling systems are operational. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.2 Environmental precautions:

Should not be released into the environment.

6.3 Methods and material for containment and cleaning up: Wear protective eye wear, gloves and clothing.

Use spark-proof tools and explosion-proof equipment.

6.4 Reference to other sections: None

7 Handling and storage

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.16.2016

Tap Magic Aluminum

7.1 Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances. Avoid breathing mist or vapor. Use only non-sparking tools. Take precautionary measures against electrostatic discharges.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.
Keep container tightly sealed.
Keep away from all ignition sources: open flames, hot surfaces, direct sunlight, spark sources.
Store locked up.
Use appropriate containment to avoid environmental contamination.
Protect from freezing and physical damage.

7.3 Specific end use(s): No additional information.

8 Exposure controls/personal protection





8.1 Control parameters:

64742-47-8, Petroleum Distillate, OSHA TWA 500.0 ppm 2,000.0 mg/m3. 64742-47-8, Petroleum Distillate, ACGIH TWA 200.0 mg/m3. 64742-47-8, Petroleum Distillate, NIOSH TWA 5.0 mg/m3. 64742-47-8, Petroleum Distillate, NIOSH ST 10.0 mg/m3.

8.2 Exposure controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Use explosion-proof ventilation equipment.

Respiratory protection: When necessary, use NIOSH-approved breathing equipment.

Protection of skin:

Select glove material impermeable and resistant to the substance.

Eye protection:

Safety goggles or glasses, or appropriate eye protection.

General hygienic measures:

Wash hands before breaks and at the end of work. Avoid contact with skin, eyes and clothing.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3 Effective date: 03.16.2016

Tap Magic Aluminum

Appearance (physical state, color):	Light Yellow Liquid	Explosion limit lower: Explosion limit upper:	Not determined or not available. Not determined or not available.
Odor:	Pleasant	Vapor pressure:	Not determined or not available.
Odor threshold:	Not determined or not available.	Vapor density:	Not determined or not available.
pH-value:	Neutral (non-aqueous)	Relative density:	Not determined or not available.
Melting/Freezing point:	Not determined or not available.	Solubilities:	Insoluble in water.
Boiling point/range:	Not determined or not available.	Partition coefficient (n- octanol/water):	Not determined or not available.
Flash point (closed cup):	185°F	Auto/Self-ignition temperature:	Not determined or not available.
Evaporation rate:	Not determined or not available.	Decomposition temperature:	Not determined or not available.
Flammability (solid, gaseous):	Combustible	Dynamic viscosity:	Not determined or not available.
Density:	0.83 g/ml at 20°C	Kinematic viscosity:	12 cSt @ 40°C

10 Stability and reactivity

10.1 Reactivity: Does not react under normal conditions of use and storage.

- **10.2** Chemical stability: Stable under normal conditions of use and storage.
- **10.3 Possibility of hazardous reactions:** None under normal conditions of use and storage.
- 10.4 Conditions to avoid: None known.
- 10.5 Incompatible materials: None known.
- 10.6 Hazardous decomposition products: None known.

11 Toxicological information

11.1 Information on toxicological effects:

Routes of exposure: No information available.

Acute toxicity:

Oral:

Aliphatic Organic Ester: LD50 Rat >2,000 mg/kg.

Inhalation:

Aliphatic Organic Ester: LC50 Rat 4h >5 mg/l.

Skin corrosion/irritation:

Petroleum Distillate: Rabbit: no skin irritation - 4h.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.16.2016

Tap Magic Aluminum

Serious eye damage/irritation: No additional information.

Respiratory or skin sensitization: No additional information.

Carcinogenicity:

IARC (International Agency for Research on Cancer):

Group 3 - Not classifiable as to its carcinogenicity to humans: Petroleum Distillate.

NTP (National Toxicology Program): None of the ingredients are listed.

Germ cell mutagenicity: No additional information.

Reproductive Toxicity: No additional information.

STOT-single and repeated exposure: No additional information.

Aspiration toxicity: No information available.

Additional toxicological information:

No additional information.

12 Ecological information

12.1 Toxicity:

Petroleum Distillate: Fish, LC50 - Oncorhynchus mykiss (rainbow trout) - 2.9 mg/l - 96 h. Petroleum Distillate: Aquatic invertebrates, static test EC50 - Daphnia magna (Water flea) - 1.4 mg/l - 48 h.

Aliphatic Organic Ester: Fish, LC50 - Oryzias latipes (Orange-red killifish) - > 0.52 mg/l - 96 h. Aliphatic Organic Ester: Aquatic invertebrates, EC50 - Daphnia magna (Water flea) - 0.255 mg/l - 48 h.

12.2 Persistence and degradability:

No additional information.

12.3 Bioaccumulative potential:

No additional information.

12.4 Mobility in soil:

No additional information.

General notes:

No additional information.

12.5 Results of PBT and vPvB assessment:

PBT: No additional information.

vPvB: No additional information.

12.6 Other adverse effects:

No additional information.

13 Disposal considerations

13.1 Waste treatment methods Relevant information:

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.16.2016

Tap Magic Aluminum

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities. (US 40CFR262.11).

14 Transport information

Land transport:

DOT (49 CFR) transport

14.1	UN Number:	Not Regulated
14.2	UN Proper shipping name:	Not Regulated
14.3	UN Transport hazard classes:	
14.4	Packing group:	Not Regulated
	Danger label:	
14.5	Environmental hazards:	No
14.6	Special precautions for user:	
	None	

ADR/RID

14.1	UN Number:	Not Regulated
14.2	UN Proper shipping name:	Not Regulated
14.3	UN Transport hazard classes:	
14.4	Packing group:	Not Regulated
	Danger label:	
	Tunnel restriction code:	None
	Transport category:	None
	Hazard ID number:	None
14.5	Environmental hazards:	No
14.6	Special precautions for user:	
	None	

Air transport:

IATA-DGR

14.1	UN Number:	Not Regulated
14.2	UN Proper shipping name:	Not Regulated
14.3	UN Transport hazard classes:	
14.4	Packing group:	Not Regulated

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3 Effective date: 03.16.2016

Tap Magic Aluminum Danger label: 14.5 Environmental hazards: No 14.6 Special precautions for user: None

Sea transport:

14.1	UN Number:	Not Regulated
14.2	UN Proper shipping name:	Not Regulated
14.3	UN Transport hazard classes:	
14.4	Packing group:	Not Regulated
	Danger label:	
	EMS code:	None
14.5	Environmental hazards:	No
14.6	Special precautions for user:	
	None	
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable	

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

North American

SARA Section 311/312 (Specific toxic chemical listings): Not classified.

SARA Section 302 (Extremely hazardous substances): None of the ingredients are listed.

SARA Section 313 (Specific toxic chemical listings): None of the ingredients are listed.

TSCA (Toxic Substances Control Act): All ingredients are listed.

TSCA Rules and Orders: Not applicable.

Proposition 65 (California):

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. Chemicals known to cause developmental toxicity: None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL): All ingredients are listed.

European Union

REACH Article 57 (SVHC): None of the ingredients are listed.

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), 29CFR1910/1200 and GHS Rev. 3

Effective date: 03.16.2016

Tap Magic Aluminum

Germany MAK: Not classified.

Australia

Australian Inventory of Chemical Substances (AICS): All ingredients are listed.

China

Inventory of Existing Chemical Substances in China (IECSC): All ingredients are listed.

Japan

Inventory of Existing and New Chemical Substances (ENCS): All ingredients are listed.

Korea

Existing Chemicals List (ECL): All ingredients are listed.

New Zealand

New Zealand Inventory of Chemicals (NZOIC): All ingredients are listed.

Philippines

Philippine Inventory of Chemicals and Chemical Substances (PICCS): All ingredients are listed.

Taiwan

Taiwan Chemical Substance Inventory (TSCI): All ingredients are listed.

16 Other information

Abbreviations and Acronyms: None

Summary of classification in section 3:

Aquatic Acute 1; H400	Acute aquatic hazard, category 1
Aquatic Chronic 2; H411	Chronic aquatic hazard, category 2
Asp. Tox. 1; H304	Aspiration hazard, category 1

Summary of hazard statements in section 3:

H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H304	May be fatal if swallowed and enters airways

Manufacturer Statement:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.