

Revision date : 2015/12/01 Version: 3.0

Page: 1/12 (30495803/SDS\_GEN\_US/EN)

## 1. Identification

Product identifier used on the label

## **VECTOR BIO-5**

## Recommended use of the chemical and restriction on use

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

## Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

## **Emergency telephone number**

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Registrant: St. Louis, MO 63122 3568 Tree Court Industrial Blvd. Whitmire Micro-Gen Research Laboratories, Inc.

## Other means of identification

Chemical family: enzyme

## 2. Hazards Identification

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## **Classification of the product**

Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Resp. Sens.	1	Respiratory sensitization
STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure

Revision date : 2015/12/01 Version: 3.0

STOT RE

Page: 2/12 (30495803/SDS\_GEN\_US/EN)

Specific target organ toxicity — repeated exposure

## Label elements



Signal Word: Danger

Hazard Statement:	
H318	Causes serious eye damage.
H315	Causes skin irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
Precautionary Stateme	nts (Prevention):
P280	Wear protective gloves and eye/face protection.
P260	Do not breathe dust/gas/mist/vapours.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P284	In case of inadequate ventilation wear respiratory protection.
P272	Contaminated work clothing should not be allowed out of the workplace
P270	Do not eat, drink or smoke when using this product.
P264	Wash with plenty of water and soap thoroughly after handling.
Precautionary Stateme	nts (Response):
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P330	Rinse mouth.
P362 + P364	Take off contaminated clothing and wash it before reuse.

2 (by inhalation)

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal): P501 Dispose of contents/container to hazardous or special waste collection point.

## Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 72 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 58 % oral

Revision date : 2015/12/01 Version: 3.0 Page: 3/12 (30495803/SDS\_GEN\_US/EN)

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 72 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 72 % Inhalation - mist

## According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## **Emergency overview**

CAUTION: Prolonged contact may cause allergic skin reactions. KEEP OUT OF REACH OF CHILDREN. May cause eye irritation. Avoid ingestion. Avoid contact with the skin, eyes and clothing. Avoid inhalation of mists/vapours. Wash thoroughly after handling.

## 3. Composition / Information on Ingredients

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
64-02-8	10.0 - 15.0%	tetrasodium ethylenediaminetetraacetate
2634-33-5	10.0 - 15.0%	1,2-benzisothiazol-3(2H)-one
68920-42-3	10.0 - 15.0%	Bacteria, complex with amylase and proteinase

## According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
	100.0 %	Proprietary ingredients

## 4. First-Aid Measures

## **Description of first aid measures**

## **General advice:**

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

## If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

## If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

#### If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Revision date : 2015/12/01 Version: 3.0

## Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

## Indication of any immediate medical attention and special treatment needed

## Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

## **Extinguishing media**

Suitable extinguishing media: water spray, foam

## Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

## Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

## **Further information:**

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

## 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

## **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

## Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

## 7. Handling and Storage

## Precautions for safe handling

Revision date : 2015/12/01 Version: 3.0

#### Page: 5/12 (30495803/SDS\_GEN\_US/EN)

Provide good ventilation of working area (local exhaust ventilation if necessary). Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code.

## Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, wellventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination.

## 8. Exposure Controls/Personal Protection

## **Components with occupational exposure limits**

2-aminoethanol	OSHA PEL	PEL 3 ppm 6 mg/m3 ; TWA value 3 ppm 8
		mg/m3; STEL value 6 ppm 15 mg/m3;
	ACGIH TLV	TWA value 3 ppm;STEL value 6 ppm;

## Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

## Personal protective equipment

## **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

## Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

## Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

## **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Revision date : 2015/12/01 Version: 3.0 Page: 6/12 (30495803/SDS\_GEN\_US/EN)

## General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form: Odour: Odour threshold: Colour: pH value:	liquid characteristic Not determined due to respiratory tract se dark green approx. 7.5 - 9.5 ( 20 °C)	nsitizing properties.
Melting point: Boiling point: Flash point:	The product has not been tested. not determined > 100 °C Information based on the main	
Flammability: Lower explosion limit:	components. not applicable As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Autoignition: Vapour pressure: Density:	not applicable not applicable approx. 1.01 g/cm3 ( 20 °C)	
Vapour density: Partitioning coefficient n- octanol/water (log Pow):	not applicable The statements are based on the properties of the individual components.	
Information on: 2-aminoetha Partitioning coefficient n- octanol/water (log Pow):	•	(OECD Guideline 107)
Self-ignition temperature:	not self-igniting	
Thermal decomposition:No decomposition if stored and handled as prescribed/indicated./iscosity, dynamic:not determined/olubility in water:dispersibleEvaporation rate:not applicableOther Information:If necessary, information on other physical and chemical parameters is indicated in this section.		

Revision date : 2015/12/01 Version: 3.0

## 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: Based on its structural properties the product is not classified as oxidizing.

## **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

## Possibility of hazardous reactions

No hazardous reactions known.

## **Conditions to avoid**

See MSDS section 7 - Handling and storage.

## Incompatible materials

strong acids, strong bases, strong oxidizing agents

## Hazardous decomposition products

Decomposition products: No hazardous decomposition products known.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

## 11. Toxicological information

## Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Ingestion may result in irritation and gastric disturbances. Can cause sensitization of the respiratory tract in allergic persons.

<u>Oral</u> Type of value: ATE Value: 1,120 mg/kg

Inhalation Type of value: ATE Value: > 20.0000 mg/l Determined for vapor

Type of value: ATE Value: > 5.0000 mg/l Determined for mist

Revision date : 2015/12/01 Version: 3.0

Information on: 2-aminoethanol Type of value: LC50 Species: rat Value: > 1.3 mg/l (IRT) Exposure time: 6 h The vapour was tested. The European Union (EU) has classified this substance as 'harmful'.

## Dermal

Type of value: ATE Value: > 5,000 mg/kg

<u>Assessment other acute effects</u> Assessment of STOT single: Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

## Irritation / corrosion

Assessment of irritating effects: Contact may result in eye irritation. Skin contact may cause irritation and dermatitis. Prolonged contact with the product can result in skin irritation.

## Sensitization

Assessment of sensitization: Exposure to respirable aerosols and dusts of various enzymes may cause sensitization of the respiratory tract in predisposed individuals. Prolonged or repeated skin contact may cause sensitization or allergic reactions.

## **Chronic Toxicity/Effects**

## Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

## Information on: 2-aminoethanol

Assessment of repeated dose toxicity: May affect the liver and kidneys as indicated in animal studies.

After repeated exposure the prominent effect is local irritation. The substance may cause damage to the upper respiratory tract after repeated inhalation, as shown in animal studies.

-----

## Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

## Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

## Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-aminoethanol

Revision date : 2015/12/01 Version: 3.0 Page: 9/12 (30495803/SDS\_GEN\_US/EN)

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The potential to impair fertility cannot be excluded when given at maternally toxic doses. Because the relevance of the results to human health is unclear, further tests will be initiated.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Other Information

Attention - The product has not yet been fully tested. Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

## Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

## **12. Ecological Information**

## Toxicity

Aquatic toxicity Assessment of aquatic toxicity: There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

## Toxicity to fish

Information on: 2-aminoethanol LC50 (96 h) 349 mg/l, Cyprinus carpio (Directive 92/69/EEC, C.1, semistatic) Nominal values (confirmed by concentration control analytics) LC50 (96 h) 170 mg/l, Carassius auratus (APHA 1971, static) The statement of the toxic effect relates to the analytically determined concentration. Literature data.

#### Aquatic invertebrates

Information on: 2-aminoethanol EC50 (48 h) 65 mg/l, Daphnia magna (Directive 84/449/EEC, C.2, static) Nominal values (confirmed by concentration control analytics)

## Aquatic plants

Information on: 2-aminoethanol EC50 (72 h) 2.5 mg/l (growth rate), Selenastrum capricornutum (OECD Guideline 201) Literature data. EC50 (72 h) 22 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3) Nominal values (confirmed by concentration control analytics) No observed effect concentration (72 h) 1 mg/l (growth rate), Selenastrum capricornutum (OECD Guideline 201)

Revision date : 2015/12/01 Version: 3.0 Page: 10/12 (30495803/SDS\_GEN\_US/EN)

Literature data.

-----

## Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Elimination information

Biodegradable.

Elimination information

Information on: 2-aminoethanol > 90 % DOC reduction (21 d) (OECD 301 A (new version)) (aerobic, activated sludge, domestic)

## **Bioaccumulative potential**

<u>Assessment bioaccumulation potential</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: 2-aminoethanol

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

·

## Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-aminoethanol

The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is not expected.

## **Additional information**

Other ecotoxicological advice: Do not discharge product into the environment without control.

## 13. Disposal considerations

## Waste disposal of substance:

Dispose of in accordance with national, state and local regulations.

Revision date : 2015/12/01 Version: 3.0

Page: 11/12 (30495803/SDS\_GEN\_US/EN)

#### **Container disposal:**

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

#### RCRA:

This product is not regulated by RCRA.

## 14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

#### Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

## **15. Regulatory Information**

## Federal Regulations

Registration status: Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Acute;

## 16. Other Information

## SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2015/12/01

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Revision date : 2015/12/01 Version: 3.0

Page: 12/12 (30495803/SDS\_GEN\_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND. EITHER EXPRESSED OR IMPLIED. INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET